

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Michael Erdahl, B.S.
Arina Podnozova, B.S.
Eric Young, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
(206) 285-8282
fbi@isomedia.com
www.friedmanandbruya.com

November 16, 2021

Jeremy Porter, Project Manager
Aspect Consulting, LLC
710 2nd Ave S, Suite 550
Seattle, WA 98104

Dear Mr Porter:

Included are the results from the testing of material submitted on November 5, 2021 from the Spic'n Span 060172, F&BI 111134 project. There are 13 pages included in this report.

We appreciate this opportunity to be of service to you and hope you will call if you have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
c: Aspect Data
ASP1116R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on November 5, 2021 by Friedman & Bruya, Inc. from the Aspect Consulting, LLC Spic'n Span 060172, F&BI 111134 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>Aspect Consulting, LLC</u>
111134 -01	VGAC-4-INF-110521
111134 -02	VGAC-4-EFF-110521

Non-petroleum compounds identified in the air phase hydrocarbon (APH) ranges were subtracted per the MA-APH method.

The concentration of several analytes exceeded the calibration range of the instrument. The data were flagged accordingly.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method MA-APH

Client Sample ID:	VGAC-4-INF-110521	Client:	Aspect Consulting, LLC
Date Received:	11/05/21	Project:	Spic'n Span 060172, F&BI 111134
Date Collected:	11/05/21	Lab ID:	111134-01 1/8.9
Date Analyzed:	11/09/21	Data File:	110824.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	95	70	130

Compounds:	Concentration ug/m3
------------	------------------------

APH EC5-8 aliphatics	9,500 ve
APH EC9-12 aliphatics	83,000 ve
APH EC9-10 aromatics	2,000

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method MA-APH

Client Sample ID:	VGAC-4-EFF-110521	Client:	Aspect Consulting, LLC
Date Received:	11/05/21	Project:	Spic'n Span 060172, F&BI 111134
Date Collected:	11/05/21	Lab ID:	111134-02 1/5.7
Date Analyzed:	11/08/21	Data File:	110822.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	83	70	130

Compounds:	Concentration ug/m3
APH EC5-8 aliphatics	<430
APH EC9-12 aliphatics	<140
APH EC9-10 aromatics	<140

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method MA-APH

Client Sample ID:	Method Blank	Client:	Aspect Consulting, LLC
Date Received:	Not Applicable	Project:	Spic'n Span 060172, F&BI 111134
Date Collected:	Not Applicable	Lab ID:	01-2565 MB
Date Analyzed:	11/08/21	Data File:	110810.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	81	70	130

Compounds:	Concentration ug/m3
APH EC5-8 aliphatics	<75
APH EC9-12 aliphatics	<25
APH EC9-10 aromatics	<25

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	VGAC-4-INF-110521	Client:	Aspect Consulting, LLC
Date Received:	11/05/21	Project:	Spic'n Span 060172, F&BI 111134
Date Collected:	11/05/21	Lab ID:	111134-01 1/8.9
Date Analyzed:	11/09/21	Data File:	110824.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	118	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	90	52	1,2-Dichloropropane	3.0	0.66
Dichlorodifluoromethane	<4.4	<0.89	1,4-Dioxane	<3.2	<0.89
Chloromethane	<33	<16	2,2,4-Trimethylpentane	<42	<8.9
F-114	<6.2	<0.89	Methyl methacrylate	<36	<8.9
Vinyl chloride	<2.3	<0.89	Heptane	<36	<8.9
1,3-Butadiene	<0.39	<0.18	Bromodichloromethane	<0.6	<0.089
Butane	<42	<18	Trichloroethene	310	57
Bromomethane	<21	<5.3	cis-1,3-Dichloropropene	<4	<0.89
Chloroethane	<23	<8.9	4-Methyl-2-pentanone	<36	<8.9
Vinyl bromide	<3.9	<0.89	trans-1,3-Dichloropropene	<4	<0.89
Ethanol	300 ve	160 ve	Toluene	<170	<44
Acrolein	50	22	1,1,2-Trichloroethane	<0.49	<0.089
Pentane	46	16	2-Hexanone	<36	<8.9
Trichlorofluoromethane	<20	<3.6	Tetrachloroethene	3,100 ve	460 ve
Acetone	8,100 ve	3,400 ve	Dibromochloromethane	<0.76	<0.089
2-Propanol	<77	<31	1,2-Dibromoethane (EDB)	<0.68	<0.089
1,1-Dichloroethene	<3.5	<0.89	Chlorobenzene	<4.1	<0.89
trans-1,2-Dichloroethene	12	3.0	Ethylbenzene	45	10
Methylene chloride	<310	<89	1,1,2,2-Tetrachloroethane	<1.2	<0.18
t-Butyl alcohol (TBA)	<110	<36	Nonane	<47	<8.9
3-Chloropropene	<14	<4.4	Isopropylbenzene	27	5.4
CFC-113	<6.8	<0.89	2-Chlorotoluene	<46	<8.9
Carbon disulfide	110	35	Propylbenzene	60	12
Methyl t-butyl ether (MTBE)	<16	<4.4	4-Ethyltoluene	48	9.7
Vinyl acetate	<63	<18	m,p-Xylene	110	25
1,1-Dichloroethane	<3.6	<0.89	o-Xylene	38	8.7
cis-1,2-Dichloroethene	180	46	Styrene	<7.6	<1.8
Hexane	<31	<8.9	Bromoform	<18	<1.8
Chloroform	10	2.1	Benzyl chloride	<0.46	<0.089
Ethyl acetate	<64	<18	1,3,5-Trimethylbenzene	42	8.5
Tetrahydrofuran	9.6	3.2	1,2,4-Trimethylbenzene	200	41
2-Butanone (MEK)	1,400 ve	480 ve	1,3-Dichlorobenzene	<5.4	<0.89
1,2-Dichloroethane (EDC)	17	4.3	1,4-Dichlorobenzene	5.9	0.98
1,1,1-Trichloroethane	<4.9	<0.89	1,2-Dichlorobenzene	15	2.5
Carbon tetrachloride	<2.8	<0.44	1,2,4-Trichlorobenzene	<6.6	<0.89
Benzene	63	20	Naphthalene	820 ve	160 ve
Cyclohexane	<61	<18	Hexachlorobutadiene	<1.9	<0.18

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: VGAC-4-EFF-110521	Client: Aspect Consulting, LLC
Date Received: 11/05/21	Project: Spic'n Span 060172, F&BI 111134
Date Collected: 11/05/21	Lab ID: 111134-02 1/5.7
Date Analyzed: 11/08/21	Data File: 110822.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	91	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	92	54	1,2-Dichloropropane	<1.3	<0.28
Dichlorodifluoromethane	4.3	0.86	1,4-Dioxane	<2.1	<0.57
Chloromethane	<21	<10	2,2,4-Trimethylpentane	<27	<5.7
F-114	<4	<0.57	Methyl methacrylate	<23	<5.7
Vinyl chloride	3.2	1.3	Heptane	<23	<5.7
1,3-Butadiene	<0.25	<0.11	Bromodichloromethane	<0.38	<0.057
Butane	<27	<11	Trichloroethene	<0.61	<0.11
Bromomethane	<13	<3.4	cis-1,3-Dichloropropene	<2.6	<0.57
Chloroethane	<15	<5.7	4-Methyl-2-pentanone	<23	<5.7
Vinyl bromide	<2.5	<0.57	trans-1,3-Dichloropropene	<2.6	<0.57
Ethanol	240 ve	130 ve	Toluene	<110	<28
Acrolein	<0.65	<0.28	1,1,2-Trichloroethane	<0.31	<0.057
Pentane	<17	<5.7	2-Hexanone	<23	<5.7
Trichlorofluoromethane	<13	<2.3	Tetrachloroethene	<39	<5.7
Acetone	<27	<11	Dibromochloromethane	<0.49	<0.057
2-Propanol	<49	<20	1,2-Dibromoethane (EDB)	<0.44	<0.057
1,1-Dichloroethene	<2.3	<0.57	Chlorobenzene	<2.6	<0.57
trans-1,2-Dichloroethene	<2.3	<0.57	Ethylbenzene	<2.5	<0.57
Methylene chloride	<200	<57	1,1,2,2-Tetrachloroethane	<0.78	<0.11
t-Butyl alcohol (TBA)	<69	<23	Nonane	<30	<5.7
3-Chloropropene	<8.9	<2.8	Isopropylbenzene	<14	<2.8
CFC-113	<4.4	<0.57	2-Chlorotoluene	<30	<5.7
Carbon disulfide	<36	<11	Propylbenzene	<14	<2.8
Methyl t-butyl ether (MTBE)	<10	<2.8	4-Ethyltoluene	<14	<2.8
Vinyl acetate	<40	<11	m,p-Xylene	<5	<1.1
1,1-Dichloroethane	<2.3	<0.57	o-Xylene	<2.5	<0.57
cis-1,2-Dichloroethene	<2.3	<0.57	Styrene	<4.9	<1.1
Hexane	<20	<5.7	Bromoform	<12	<1.1
Chloroform	<0.28	<0.057	Benzyl chloride	<0.3	<0.057
Ethyl acetate	<41	<11	1,3,5-Trimethylbenzene	<14	<2.8
Tetrahydrofuran	<3.4	<1.1	1,2,4-Trimethylbenzene	<14	<2.8
2-Butanone (MEK)	<17	<5.7	1,3-Dichlorobenzene	<3.4	<0.57
1,2-Dichloroethane (EDC)	<0.23	<0.057	1,4-Dichlorobenzene	<1.3	<0.22
1,1,1-Trichloroethane	<3.1	<0.57	1,2-Dichlorobenzene	<3.4	<0.57
Carbon tetrachloride	<1.8	<0.28	1,2,4-Trichlorobenzene	<4.2	<0.57
Benzene	<1.8	<0.57	Naphthalene	<1.5	<0.28
Cyclohexane	<39	<11	Hexachlorobutadiene	<1.2	<0.11

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	Method Blank	Client:	Aspect Consulting, LLC
Date Received:	Not Applicable	Project:	Spic'n Span 060172, F&BI 111134
Date Collected:	Not Applicable	Lab ID:	01-2565 MB
Date Analyzed:	11/08/21	Data File:	110810.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	% Recovery:	Lower Limit:	Upper Limit:
Surrogates:			
4-Bromofluorobenzene	88	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<1.2	<0.7	1,2-Dichloropropane	<0.23	<0.05
Dichlorodifluoromethane	<0.49	<0.1	1,4-Dioxane	<0.36	<0.1
Chloromethane	<3.7	<1.8	2,2,4-Trimethylpentane	<4.7	<1
F-114	<0.7	<0.1	Methyl methacrylate	<4.1	<1
Vinyl chloride	<0.26	<0.1	Heptane	<4.1	<1
1,3-Butadiene	<0.044	<0.02	Bromodichloromethane	<0.067	<0.01
Butane	<4.8	<2	Trichloroethene	<0.11	<0.02
Bromomethane	<2.3	<0.6	cis-1,3-Dichloropropene	<0.45	<0.1
Chloroethane	<2.6	<1	4-Methyl-2-pentanone	<4.1	<1
Vinyl bromide	<0.44	<0.1	trans-1,3-Dichloropropene	<0.45	<0.1
Ethanol	<7.5	<4	Toluene	<19	<5
Acrolein	<0.11	<0.05	1,1,2-Trichloroethane	<0.055	<0.01
Pentane	<3	<1	2-Hexanone	<4.1	<1
Trichlorofluoromethane	<2.2	<0.4	Tetrachloroethene	<6.8	<1
Acetone	<4.8	<2	Dibromochloromethane	<0.085	<0.01
2-Propanol	<8.6	<3.5	1,2-Dibromoethane (EDB)	<0.077	<0.01
1,1-Dichloroethene	<0.4	<0.1	Chlorobenzene	<0.46	<0.1
trans-1,2-Dichloroethene	<0.4	<0.1	Ethylbenzene	<0.43	<0.1
Methylene chloride	<35	<10	1,1,2,2-Tetrachloroethane	<0.14	<0.02
t-Butyl alcohol (TBA)	<12	<4	Nonane	<5.2	<1
3-Chloropropene	<1.6	<0.5	Isopropylbenzene	<2.5	<0.5
CFC-113	<0.77	<0.1	2-Chlorotoluene	<5.2	<1
Carbon disulfide	<6.2	<2	Propylbenzene	<2.5	<0.5
Methyl t-butyl ether (MTBE)	<1.8	<0.5	4-Ethyltoluene	<2.5	<0.5
Vinyl acetate	<7	<2	m,p-Xylene	<0.87	<0.2
1,1-Dichloroethane	<0.4	<0.1	o-Xylene	<0.43	<0.1
cis-1,2-Dichloroethene	<0.4	<0.1	Styrene	<0.85	<0.2
Hexane	<3.5	<1	Bromoform	<2.1	<0.2
Chloroform	<0.049	<0.01	Benzyl chloride	<0.052	<0.01
Ethyl acetate	<7.2	<2	1,3,5-Trimethylbenzene	<2.5	<0.5
Tetrahydrofuran	<0.59	<0.2	1,2,4-Trimethylbenzene	<2.5	<0.5
2-Butanone (MEK)	<2.9	<1	1,3-Dichlorobenzene	<0.6	<0.1
1,2-Dichloroethane (EDC)	<0.04	<0.01	1,4-Dichlorobenzene	<0.23	<0.038
1,1,1-Trichloroethane	<0.55	<0.1	1,2-Dichlorobenzene	<0.6	<0.1
Carbon tetrachloride	<0.31	<0.05	1,2,4-Trichlorobenzene	<0.74	<0.1
Benzene	<0.32	<0.1	Naphthalene	<0.26	<0.05
Cyclohexane	<6.9	<2	Hexachlorobutadiene	<0.21	<0.02

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 11/16/21

Date Received: 11/05/21

Project: Spic'n Span 060172, F&BI 111134

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD MA-APH**

Laboratory Code: 111134-02 1/5.7 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
APH EC5-8 aliphatics	ug/m3	<430	<430	nm
APH EC9-12 aliphatics	ug/m3	<140	<140	nm
APH EC9-10 aromatics	ug/m3	<140	<140	nm

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
APH EC5-8 aliphatics	ug/m3	67	104	70-130
APH EC9-12 aliphatics	ug/m3	67	103	70-130
APH EC9-10 aromatics	ug/m3	67	94	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 11/16/21

Date Received: 11/05/21

Project: Spic'n Span 060172, F&BI 111134

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 111134-02 1/5.7 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Propene	ug/m3	92	84	9
Dichlorodifluoromethane	ug/m3	4.3	4.3	0
Chloromethane	ug/m3	<21	<21	nm
F-114	ug/m3	<4	<4	nm
Vinyl chloride	ug/m3	3.2	2.9	10
1,3-Butadiene	ug/m3	<0.25	<0.25	nm
Butane	ug/m3	<27	<27	nm
Bromomethane	ug/m3	<13	<13	nm
Chloroethane	ug/m3	<15	<15	nm
Vinyl bromide	ug/m3	<2.5	<2.5	nm
Ethanol	ug/m3	240	250	4
Acrolein	ug/m3	<0.65	<0.65	nm
Pentane	ug/m3	<17	<17	nm
Trichlorofluoromethane	ug/m3	<13	<13	nm
Acetone	ug/m3	<27	<27	nm
2-Propanol	ug/m3	<49	<49	nm
1,1-Dichloroethene	ug/m3	<2.3	<2.3	nm
trans-1,2-Dichloroethene	ug/m3	<2.3	<2.3	nm
Methylene chloride	ug/m3	<200	<200	nm
t-Butyl alcohol (TBA)	ug/m3	<69	<69	nm
3-Chloropropene	ug/m3	<8.9	<8.9	nm
CFC-113	ug/m3	<4.4	<4.4	nm
Carbon disulfide	ug/m3	<36	<36	nm
Methyl t-butyl ether (MTBE)	ug/m3	<10	<10	nm
Vinyl acetate	ug/m3	<40	<40	nm
1,1-Dichloroethane	ug/m3	<2.3	<2.3	nm
cis-1,2-Dichloroethene	ug/m3	<2.3	<2.3	nm
Hexane	ug/m3	<20	<20	nm
Chloroform	ug/m3	<0.28	<0.28	nm
Ethyl acetate	ug/m3	<41	<41	nm
Tetrahydrofuran	ug/m3	<3.4	<3.4	nm
2-Butanone (MEK)	ug/m3	<17	<17	nm
1,2-Dichloroethane (EDC)	ug/m3	<0.23	<0.23	nm
1,1,1-Trichloroethane	ug/m3	<3.1	<3.1	nm
Carbon tetrachloride	ug/m3	<1.8	<1.8	nm
Benzene	ug/m3	<1.8	<1.8	nm
Cyclohexane	ug/m3	<39	<39	nm
1,2-Dichloropropane	ug/m3	<1.3	<1.3	nm
1,4-Dioxane	ug/m3	<2.1	<2.1	nm
2,2,4-Trimethylpentane	ug/m3	<27	<27	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 11/16/21

Date Received: 11/05/21

Project: Spic'n Span 060172, F&BI 111134

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 111134-02 1/5.7 (Duplicate) (continued)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Methyl methacrylate	ug/m3	<23	<23	nm
Heptane	ug/m3	<23	<23	nm
Bromodichloromethane	ug/m3	<0.38	<0.38	nm
Trichloroethene	ug/m3	<0.61	<0.61	nm
cis-1,3-Dichloropropene	ug/m3	<2.6	<2.6	nm
4-Methyl-2-pentanone	ug/m3	<23	<23	nm
trans-1,3-Dichloropropene	ug/m3	<2.6	<2.6	nm
Toluene	ug/m3	<110	<110	nm
1,1,2-Trichloroethane	ug/m3	<0.31	<0.31	nm
2-Hexanone	ug/m3	<23	<23	nm
Tetrachloroethene	ug/m3	<39	<39	nm
Dibromochloromethane	ug/m3	<0.49	<0.49	nm
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44	nm
Chlorobenzene	ug/m3	<2.6	<2.6	nm
Ethylbenzene	ug/m3	<2.5	<2.5	nm
1,1,2,2-Tetrachloroethane	ug/m3	<0.78	<0.78	nm
Nonane	ug/m3	<30	<30	nm
Isopropylbenzene	ug/m3	<14	<14	nm
2-Chlorotoluene	ug/m3	<30	<30	nm
Propylbenzene	ug/m3	<14	<14	nm
4-Ethyltoluene	ug/m3	<14	<14	nm
m,p-Xylene	ug/m3	<5	<5	nm
o-Xylene	ug/m3	<2.5	<2.5	nm
Styrene	ug/m3	<4.9	<4.9	nm
Bromoform	ug/m3	<12	<12	nm
Benzyl chloride	ug/m3	<0.3	<0.3	nm
1,3,5-Trimethylbenzene	ug/m3	<14	<14	nm
1,2,4-Trimethylbenzene	ug/m3	<14	<14	nm
1,3-Dichlorobenzene	ug/m3	<3.4	<3.4	nm
1,4-Dichlorobenzene	ug/m3	<1.3	<1.3	nm
1,2-Dichlorobenzene	ug/m3	<3.4	<3.4	nm
1,2,4-Trichlorobenzene	ug/m3	<4.2	<4.2	nm
Naphthalene	ug/m3	<1.5	<1.5	nm
Hexachlorobutadiene	ug/m3	<1.2	<1.2	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 11/16/21

Date Received: 11/05/21

Project: Spic'n Span 060172, F&BI 111134

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Propene	ug/m3	23	80	70-130
Dichlorodifluoromethane	ug/m3	67	103	70-130
Chloromethane	ug/m3	28	98	70-130
F-114	ug/m3	94	101	70-130
Vinyl chloride	ug/m3	35	95	70-130
1,3-Butadiene	ug/m3	30	100	70-130
Butane	ug/m3	32	104	70-130
Bromomethane	ug/m3	52	103	70-130
Chloroethane	ug/m3	36	102	70-130
Vinyl bromide	ug/m3	59	100	70-130
Ethanol	ug/m3	25	97	70-130
Acrolein	ug/m3	31	96	70-130
Pentane	ug/m3	40	97	70-130
Trichlorofluoromethane	ug/m3	76	103	70-130
Acetone	ug/m3	32	97	70-130
2-Propanol	ug/m3	33	100	70-130
1,1-Dichloroethene	ug/m3	54	101	70-130
trans-1,2-Dichloroethene	ug/m3	54	101	70-130
Methylene chloride	ug/m3	94	91	70-130
t-Butyl alcohol (TBA)	ug/m3	41	104	70-130
3-Chloropropene	ug/m3	42	98	70-130
CFC-113	ug/m3	100	102	70-130
Carbon disulfide	ug/m3	42	104	70-130
Methyl t-butyl ether (MTBE)	ug/m3	49	100	70-130
Vinyl acetate	ug/m3	48	97	70-130
1,1-Dichloroethane	ug/m3	55	102	70-130
cis-1,2-Dichloroethene	ug/m3	54	102	70-130
Hexane	ug/m3	48	98	70-130
Chloroform	ug/m3	66	100	70-130
Ethyl acetate	ug/m3	49	101	70-130
Tetrahydrofuran	ug/m3	40	99	70-130
2-Butanone (MEK)	ug/m3	40	103	70-130
1,2-Dichloroethane (EDC)	ug/m3	55	102	70-130
1,1,1-Trichloroethane	ug/m3	74	102	70-130
Carbon tetrachloride	ug/m3	85	102	70-130
Benzene	ug/m3	43	101	70-130
Cyclohexane	ug/m3	46	92	70-130
1,2-Dichloropropane	ug/m3	62	95	70-130
1,4-Dioxane	ug/m3	49	103	70-130
2,2,4-Trimethylpentane	ug/m3	63	98	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 11/16/21

Date Received: 11/05/21

Project: Spic'n Span 060172, F&BI 111134

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample (continued)

Analyte	Reporting Units	Spike Level	Percent	Acceptance Criteria
			Recovery LCS	
Methyl methacrylate	ug/m3	55	98	70-130
Heptane	ug/m3	55	95	70-130
Bromodichloromethane	ug/m3	90	98	70-130
Trichloroethene	ug/m3	73	96	70-130
cis-1,3-Dichloropropene	ug/m3	61	105	70-130
4-Methyl-2-pentanone	ug/m3	55	107	70-130
trans-1,3-Dichloropropene	ug/m3	61	100	70-130
Toluene	ug/m3	51	102	70-130
1,1,2-Trichloroethane	ug/m3	74	98	70-130
2-Hexanone	ug/m3	55	98	70-130
Tetrachloroethene	ug/m3	92	100	70-130
Dibromochloromethane	ug/m3	120	106	70-130
1,2-Dibromoethane (EDB)	ug/m3	100	95	70-130
Chlorobenzene	ug/m3	62	107	70-130
Ethylbenzene	ug/m3	59	101	70-130
1,1,2,2-Tetrachloroethane	ug/m3	93	99	70-130
Nonane	ug/m3	71	93	70-130
Isopropylbenzene	ug/m3	66	101	70-130
2-Chlorotoluene	ug/m3	70	103	70-130
Propylbenzene	ug/m3	66	101	70-130
4-Ethyltoluene	ug/m3	66	93	70-130
m,p-Xylene	ug/m3	120	104	70-130
o-Xylene	ug/m3	59	109	70-130
Styrene	ug/m3	58	104	70-130
Bromoform	ug/m3	140	106	70-130
Benzyl chloride	ug/m3	70	110	70-130
1,3,5-Trimethylbenzene	ug/m3	66	103	70-130
1,2,4-Trimethylbenzene	ug/m3	66	100	70-130
1,3-Dichlorobenzene	ug/m3	81	106	70-130
1,4-Dichlorobenzene	ug/m3	81	104	70-130
1,2-Dichlorobenzene	ug/m3	81	105	70-130
1,2,4-Trichlorobenzene	ug/m3	100	98	70-130
Naphthalene	ug/m3	71	108	70-130
Hexachlorobutadiene	ug/m3	140	103	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The analyte is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht - The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits due to sample matrix effects.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

111134

SAMPLE CHAIN OF CUSTODY

11-05-21

Page # 1 of 1

Report To Terrany PorterCompany AspectAddress 710 2nd Ave Ste 550City, State, ZIP Seattle, WA 98104Phone 206 7404129 Email port@aspectconsulting.comSAMPLERS (signature) RachelPROJECT NAME & ADDRESS Speth Span

PO #

060172

NOTES:

INVOICE TO

AP

TURNAROUND TIME

☒ Standard
☐ RUSH

Rush charges authorized by:

SAMPLE DISPOSAL
☐ Default: Clean after 3 days.
☐ Archive (Fee may apply)

SAMPLE INFORMATION

Sample Name	Lab ID	Canister ID	Flow Cont. ID	Reporting Level: IA=Indoor Air SG=Soil Gas (Circle One)	Date Sampled	Initial Vac. (Hg)	Field Initial Time	Final Vac. (Hg)	Field Final Time	TO15 Full Scan	TO15 BTEXN	TO15 cVOCs	APH	Helium	Notes
VGAC-4-1NF10521	01	3256	35	IA / <u>SG</u>	11/5/21	29	1134	5	1139	X		X			
VGAC-4-EFF-110521	02	3250	108	IA / <u>SG</u>	11/5/21	30	1142	5	1147	X		X			
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											

ANALYSIS REQUESTED

Friedman & Bruya, Inc.

3012 16th Avenue West

Seattle, WA 98119-2029

Ph. (206) 283-8282

Fax (206) 283-5044

FORMS\COG\COCTO-15.DOC

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Reinquished by: <u>Rachel</u>	<u>Rachel Corruell</u>	<u>Aspect</u>	<u>11/5/21</u>	<u>1710</u>
Received by: <u>Blank</u>	<u>VINH</u>	<u>FB1</u>	<u>11/5/21</u>	<u>1711</u>
Reinquished by:				
Received by:		<u>Samples received at</u>	<u>19</u>	<u>0C</u>